

Enclosures **BantamBox Series**

Polycarbonate Enclosure 10 x 6 x 6 Inches BantamBox Clear Cover



Catalog Number BBCC251615W
UPC 191564105499.0

List Price

\$142.74

Description

10H x 6W x 6D Inches BantamBox Series polycarbonate enclosures feature flush sides making it a sought-after enclosure for OEM designs. Raised bosses accommodate back panel mounting and are successfully used for remote sensor mounting and small electronic controls in any environment. This configuration features a clear lift off cover with 4 cover screws.



Application

Small; simple design ideal for OEMs in the electronics market; circuit boards and wiring applications

Features

- Available in 2 cover options: 1. Opaque Cover; 2. Clear Polycarbonate Cover
- Multiple depths available in most sizes
- Resistant to harsh environments
- Flush sides for optimal fit
- Multiple molded in bosses for a variety of mounting solutions

General Information

| | |
|--------------------------------------|--|
| Color | Gray |
| Cover Type | Clear |
| Mounting Type | Wall Mount |
| Material | Polycarbonate |
| Back Panel Screw Size | Plastite 48 #8 |
| Back Panel Recommended Torque | 12-16 in-lbs. |
| Back Panel Screw Material | 304 SS |
| Cover Screw Material | 304 SS |
| Metal Inserts | Brass |
| Gasket Material | Poured In Place (PIP) Polyurethane Seamless |
| Country of Origin | Germany |

Dimensions

| | |
|---------------------------|-------|
| Height (in) | 10.0 |
| Width (in) | 6.0 |
| Depth (in) | 6.0 |
| Height (mm) | 250.0 |
| Width (mm) | 160.0 |
| Depth (mm) | 150.0 |
| Useable Depth (in) | 5.5 |
| Useable Depth (mm) | 139.0 |

Standards

| | |
|-----------------------------------|----------------------------|
| NEMA 10250; UL 50; UL 50e; UL508A | cULus Listed File #E64358 |
| Type | 1; 3R; 4; 4X; 12 |
| IEC 60529 | IP66 |
| IEC 60529 | cULus Listed File #E362920 |
| Temperature Range °F | -40°F to +212°F |
| Temperature Range °C | -40°C to +100°C |
| Flammability Rating | UL94-V2 |
| Outdoor Exposure UL746c | (f1) Rated |
| CE | Certified |