



**Enclosures BantamBox Series** 

#### Polycarbonate Enclosure 6 x 5 x 6 Inches BantamBox Clear Cover



Catalog Number UPC BBCC161214W 191564105345

List Price



### Description

6H x 5W x 6D Inches BantomBox Series polycarbonate enclosures feature flush sides making it a sought-after enclosure for OEM designs. Raised bosses accommodate back panel mounting and are sucessfully used for remote sensor mounting and small electronic controls in any environment. This conifiguration features a clear lift off cover with 4 cover screws.

### **Application**

Small; simple design ideal for OEMs in the electronics market; circuit boards and wiring applications

#### **Features**

- Available in 2 cover options: 1. Opaque Cover; 2. Clear Polycarbonate Cover
- Multiple depths available in most sizes
- Resistant to harsh environments
- Flush sides for optimal fit
- Multiple molded in bosses for a variety of mounting solutions





A ROBROY Brand

# **Enclosures**

## **General Information**

Color	Gray
Cover Type	Clear
Mounting Type	Wall Mount
Material	Polycarbonate
Back Panel Screw Size	Plastite 48 #8
Back Panel Recommended Torque	12-16 in-lbs.
<b>Back Panel Screw Material</b>	304 SS
Cover Screw Material	304 SS
Metal Inserts	Brass
Gasket Material	Poured In Place (PIP) Polyurethane Seamless
Country of Origin	Germany

### **Dimensions**

Height (in)	6.0
Width (in)	5.0
Depth (in)	6.0
Height (mm)	160.0
Width (mm)	120.0
Depth (mm)	140.0
Useable Depth (in)	3.7
Useable Depth (mm)	95.0



A ROBROY Brand

# **Enclosures**

## **Standards**

NEMA 250; UL 50; UL 50e; UL508A	cULus Listed File #E64358
Туре	1; 3R; 4; 4X; 12
IEC 60529	IP66
IEC 60529	cULus Listed File #E362920
Temperature Range °F	-40°F to +212°F
Temperature Range °C	-40°C to +100°C
Flammability Rating	UL94-V2
Outdoor Exposure UL746c	(f1) Rated
CE	Certified