

Enclosures **Commander Series**

Polycarbonate Enclosure 4 x 3 x 2 Inches Commander Series Slim



Catalog Number

COPC432

UPC

191564103877.0

List Price

\$73.45

Description

4H x 3W x 2D Inches Commander Series Polycarbonate Enclosures are slim-line designed enclosures featuring 4 cover screws with a blank lift off cover.

Application

For use in many MRO and OEM applications

Features

- Memory retaining continuous polyurethane gasket
- Captive polymer cover screws on polycarbonate option
- Submersible; non corrosive; environmental design
- High Impact Resistance



General Information

Color	Gray
Cover Type	Opaque
Mounting Type	Wall Mount
Material	Polycarbonate
Cover Screw Size	Custom
Cover Screw Recommended Torque	16-20 in-lbs.
Cover Screw Material	Polycarbonate
Installation Mounting Torque	25-30 in-lbs. Max
Metal Inserts	
Gasket Material	Poured In Place (PIP) Polyurethane Seamless
Country of Origin	USA

Dimensions

Height (in)	4.0
Width (in)	3.0
Depth (in)	2.0
Height (mm)	102.0
Width (mm)	76.0
Depth (mm)	51.0
Useable Depth (in)	2.5
Useable Depth (mm)	64.0

Standards

NEMA 10250; UL 50; UL 50e; UL508A	cULus Listed File #E64358
Type	1; 3R; 4; 4X; 6; 6P; 12
IEC 60529	IP66; IP68
IEC 60529	cULus Listed File #E362920
Temperature Range °F	-40°F to +248°F
Temperature Range °C	-40°C to +120°C
Flammability Rating	UL94-5VA
Outdoor Exposure UL746c	(f1) Rated
CE	Certified